(a) That he provides himself with sufficient number of labourers and carts for promptly carting timber that is available in the coupe.

(b) He or his agent will carry out all instructions that may be issued, from time to time, by the Sub-Assistant Conservator of Forests or the depot officer, or the District Forest Officer, as the case may be, failing which his contract will be cancelled and the security deposit forfeited.

(c) That the Department is at liberty to make other arrangements for work independent of the tendered contractor, when necessary.

M. G. VENKATA RAO,
*District Forest Officer.*

KADUR FOREST DIVISION.

*Abstract Notification dated 10th July 1937.*

The attention of the public is invited to the following notifications printed on pages 1125-1127, Part VI of the *Mysore Gazette*, dated 15th July 1937.

| | *Date fixed.* |
|---|---|
| 1. Calling for tenders for the preparation of sandal wood into 18 classes in Chikmagalur Koti during 1937-38 .. .. .. | 2nd August 1937. |
| 2. Sale of the right of collecting the Cinnamon leaves for distilling oil in :— | |
| Mudigere Taluk .. .. .. .. .. | 2nd August 1937. |
| Koppa Taluk .. .. .. .. .. | 4th August 1937. |

M. A. MUTHANNA,
*District Forest Officer.*

## ENGINEERING DEPARTMENT.

BUILDINGS DIVISION, BANGALORE.

*Abstract Notification dated 7th July 1937.*

The attention of the public is hereby invited to the detailed notification, calling for tenders for improving Sandal Koti Sawing Shed to convert into Stores for Industrial and Testing Laboratory, Bangalore, published in pages 1129-1130, Part VI of *Mysore Gazette*, dated 15th July 1937.
The last date for the receipt of the tender is 22nd July 1937.

---

*Abstract Notification dated 8th July 1937.*

The attention of the public is hereby invited to the detailed notification, calling for tenders for the construction of a Machine section and Forest Rangers Offices in Sandal Koti Premises, Banglaore, published in pages 1127-1129, Part VI of *Mysore Gazette*, dated 15th July 1937.
The last date for the receipt of tender is 22nd July 1937.

---

*Abstract Notification dated 10th July 1937.*

The attention of the public is hereby invited to the detailed notification, calling for tenders for constructing quarters for Sub-Assistant Surgeon and Matron attached to Central Jail, Bangalore, published in pages 1130-1132, Part VI of *Mysore Gazette*, dated 15th July 1937.
The last date for the receipt of the tender is 26th July 1937.

B. R. GARUDACHAR,
*Executive Engineer.*

BANGALORE DIVISION.

*Abstract Notification dated 8th July 1937.*

The attention of the public is hereby invited to the detailed notification, inviting tenders for constructing Line Men's Quarters at (1) Byadarahalli, between miles 8 and 9 on Bangalore-Magadi Road, (2) Haniyur Village, Hessaraghatta Hobli, Bangalore Taluk, and (3) Heggadihalli on the 39th

mile of Kolar-Sompur Road, published on pages 1132-1134 of Part VI of the *Mysore Gazette*, dated 15th July 1937.

The last date for receipt of the tenders is 2 P.M. on 3rd August 1937 and the earnest money to accompany the tender for each work is Rs. 150.

D. A. HUKERI,
*Executive Engineer.*

## KOLAR DIVISION.

*Notification dated 17th July 1937.*

1. Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 12 noon on 16th August 1937, for restoring Rajenahalli Devarakere R. No. 309 of Malur Taluk Serial No. 237.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as " Tender for restoring Rajenahalli Devarakere." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied with the treasury challen for an earnest money of Rs. 470 paid to the treasury to the credit of 17 (a) Public Work Deposits against the account of Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 16th August 1937 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever, for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office, in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an Agreement in the departmental schedule contract form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931) and also a security deposit of Rs. 940.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar, on all working days, between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department Schedule of Rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of November 1938 failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specifically provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

*Note.*—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills, and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including the necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

*Note.*—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials

Abstract estimate for restoring Rajenahalli Devarakere Register No. 309 of Malur Taluk Serial No. 237.

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | *Bund.* | | Rs. a. p. | | |
| 1 | Jungle clearing including rooting out trees, etc., | Grade | 20 0 0 | 20 | |
| 2 | Cutting Trenches .. .. .. .. | ,, | 5 0 0 | 20 | |
| 3 | Cutting front slope to 1½ : 1 after removing old stones .. .. .. .. | ,, | 2 0 0 | 20 | |
| 4 | Clearing ant-hills and filling in with gravel .. | No. | 0 12 0 | 15 | |
| 5 | Earthwork to bund with watering and tamping | C.yd. | 0 3 6 | 8,340 | |
| 6 | Turfing the slope of bund .. .. .. | S.yd. | 0 1 0 | 5,512 | |
| 7 | Earthwork to breach with a mixture of gravel.. | C.yd. | 0 4 6 | 900 | |
| 8 | Removing and revetting old stone revetment with jelly .. .. .. .. | ,, | 0 12 0 | 546 | |
| 9 | Constructing new stone revetment with jelly filling .. .. .. .. | ,, | 1 12 0 | 1,538 | |
| 10 | Fixing grade stones new with figures and painting | No. | 1 8 0 | 20 | |
| 11 | Fixing Index stones .. .. .. | ,, | 0 8 0 | 20 | |
| 12 | Fixing B. M. stones .. .. .. | ,, | 3 0 0 | 2 | |
| 13 | Fixing date and register No. stones .. .. | ,, | 3 0 0 | 2 | |
| 14 | Fixing gauge stones .. .. .. | ,, | 15 0 0 | 1 | |
| 15 | Excavation for core wall .. .. .. | C.yd. | 0 4 0 | 31 | |
| 16 | Burnt stone in surki mortar .. .. | C.ft. | 0 5 0 | 966 | |
| | Total for bund Rupees .. .. | | | | |

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | |
| | *Sluice No. I New.* | | | | |
| 1 | Earth work cutting bund | C.yd. | 0 3 6 | 138 | |
| 2 | Do refilling the same with watering and tamping | ,, | 0 4 0 | 152 | |
| 3 | Do in ordinary soil | ,, | 0 3 0 | 14 | |
| 4 | Stone jelly concrete in surki mortar | C.ft. | 0 4 0 | 332 | |
| 5 | Burnt stone in surki mortar | ,, | 0 5 0 | 429 | |
| 6 | Burnt stone slabs 4" to 6" thick | S.ft. | 0 5 0 | 241 | |
| 7 | Deep pointing with cement | Sqr. | 4 0 0 | 5.70 | |
| 8 | Drilling holes in slabs | L. S. | .. | .. | |
| 9 | Providing teak wood plug and iron rod with locking arrangements | ,, | .. | .. | |
| | Total for No. 1 Sluice Rupees | | | | |
| | *Constructing of New Sluice No. 2.* | | | | |
| 1 | As per above details of No. 1 Sluice Rupees | .. | .. | .. | |
| | Total for No. 2 Sluice Rupees | .. | | | |
| | *Constructing a Waste Weir.* | | | | |
| 1 | Earthwork with a lead and lift | C.yd. | 0 4 0 | 441 | |
| 2 | Stone jelly concrete in surki mortar | C.ft. | 0 4 6 | 924 | |
| 3 | Burnt size stone in surki mortar | C.ft. | 0 5 0 | 792 | |
| 4 | Deep pointing with cement | Sqr. | 4 0 0 | 11.54 | |
| 5 | Burnt stone slabs 6" thick | S.ft. | 0 5 0 | 830 | |
| 6 | Rough stone work new | C.yd. | 1 12 0 | 184 | |
| 7 | Removing and resetting old stone revetment | ,, | 0 12 0 | 8 | |
| | Total for the weir Rupees | | | | |

*Notification dated.....1937.*

Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 12 NOON on 16th August 1937, for restoring Hulimangala Hosakote Kadankere, Minor Tank R. No. 478 of Malur Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for restoring Hulimangala Hoskote Kadankere." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied with a Treasury challen for an earnest money of Rs. 250 paid to the Treasury to the credit of 17(a) Public Works Deposit against the account of the Executive Engineer, Kolar Division, Kolar. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 16th August 1937 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office, in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an Agreement in the departmental schedule contract form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931) and also furnish a security deposit of Rs. 500.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar, on all working days between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a Firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney, authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of June 1938 failing which, the Executive Engineer may, at his discretion, levy a penalty Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the Contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specifically provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages, for delays caused by Officers of the Department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer, in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being, the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of Royalty and tolls.

*Note* (*A*).—The Contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering labour and appliances for hoisting.

(3) Provide mortar mills and sheds to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations, wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D. so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

*Note* (*B*).—It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for restoring Hulimangala Hosakote Kadankere Minor Tank Register No. 478 of Malur Taluk.

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | |
| | *I. Bund at R. L. 55·50; Top width 4½'; Slopes 1½ : 1 and 2 : 1.* | | | | |
| 1 | Cutting out jungle trees and roots, etc. .. | Gr. | 2 0 0 | 17 | |
| 2 | Removing ant hills and filling them with good gravel .. .. .. .. | No. | 0 8 0 | 30 | |
| 3 | Cutting big trees including removal of stumps, etc. .. .. .. .. | Each | 2 0 0 | 17 | |
| 4 | Do do small trees .. .. | ,, | 1 0 0 | 3 | |
| 5 | Earthwork with watering and consolidation .. | C.yds. | 0 3 6 | 2,840 | |
| 6 | Cutting grips and trenches .. .. .. | Gr. | 1 8 0 | 17 | |
| 7 | Lead for earth got from waste weir with watering and consolidation .. .. .. | C.yds. | 0 1 6 | 1,010 | |
| 8 | Removing and resetting old stone revetment .. | ,, | 0 8 0 | 450 | |
| 9 | Rough stone work, new .. .. .. | ,, | 1 8 0 | 786 | |
| 10 | Turfing .. .. .. .. | S.yds. | 0 0 9 | 3,708 | |
| 11 | Providing and fixing new grade stones including figuring and painting, etc., complete .. | Each | 1 8 0 | 18 | |
| 12 | Do Register No. Stone do .. | ,, | 3 0 0 | 1 | |
| 13 | Providing and fixing index stones with figuring and painting .. .. .. | No. | 0 6 0 | 18 | |
| 14 | Providing and fixing B. M. stones including figuring and painting, etc., complete .. | ,, | 2 8 0 | 2 | |
| 15 | Do gauge stones do .. | ,, | 15 0 0 | 1 | |
| | Total for bund—Rupees .. | | | | .. |
| | *II. Constructing a cast iron pipe sluice 8" dia. at R. L. 46.00.* | | | | |
| 1 | Cut-opening the bund and refilling the same with consolidation .. .. .. | C.yds. | 0 6 0 | 86 | |
| 2 | Earthwork for foundation .. .. .. | ,, | 0 3 0 | 6 | |
| 3 | Burnt stone jelly concrete in surki mortar .. | C.ft. | 0 4 3 | 137 | |
| 4 | Burnt stone in surki mortar .. .. | C.ft. | 0 5 0 | 150 | |
| 5 | Burnt stone slabs 6" thick .. .. | S.ft. | 0 5 0 | 99 | |
| 6 | Providing plug and rod with locking arrangements .. .. .. .. | Lumpsum | Rupees | | |
| 7 | Cement pointing .. .. .. .. | ,, | ,, | | |
| 8 | Supplying and fixing cast iron pipes 8" dia. including Railway freight cart-hire, etc., complete .. .. .. .. | R.ft. | 3 0 0 | 36 | |
| 9 | Drilling holes in slabs .. .. .. | Each. | 1 0 0 | 3 | |
| 10 | Rough stone work for wings .. .. | C.yds. | 1 8 0 | 4 | |

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | |
| | *III. Constructing a weir 200 feet long at R.L. 50.00 at left flank.* | | | | |
| 1 | Earthwork excavation | C.yds. | 0 3 0 | 956 | |
| 2 | Stone jelly concrete in surki mortar | C.ft. | 0 4 3 | 803 | |
| 3 | Size stone in surki mortar | C.ft. | 0 5 0 | 1,243 | |
| 4 | Burnt stone slabs 6" thick dressed and fixed | S.ft. | 0 5 0 | 716 | |
| 5 | Rough stone work new with a lead of 4 miles | C.yds. | 1 12 0 | 119 | |
| 6 | Providing joggle joints | Each | 0 12 0 | 25 | |
| 7 | Cement pointing | Sqr. | 4 0 0 | 14·7 | |
| 8 | Jelly filling behind apron | C.yds. | 1 0 0 | 13 | |
| | Total Rupees | | | | |
| | *Constructing a masonry weir 120' long at R. L. 50.00 at right flank.* | | | | |
| 1 | Earthwork excavation | C.yds. | 0 3 0 | 257 | |
| 2 | Jelly concrete in surki mortar | C.ft. | 0 4 3 | 143 | |
| 3 | Size stone in surki mortar | C.ft. | 0 5 0 | 459 | |
| 4 | Burnt stone slabs 6" thick dressed and fixed | S.ft. | 0 5 0 | 473 | |
| 5 | Rough stone work new with a lead of 4 miles | C.yds. | 1 12 0 | 90 | |
| 6 | Pointing with cement mortar | Sqr. | 4 0 0 | 7·95 | |
| 7 | Providing joggle joints | No. | 0 12 0 | 15 | |
| | Total Rupees | | | | |

P. RAJAGOPALAN,
*Executive Engineer.*

## MYSORE DIVISION.

*Notification dated 12th July 1937.*

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 2 P.M., on 14th August 1937, for improving Dod-Upla Ane near Upla Village, Nagamangala Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1939.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore, between the hours of 11 A.M. and 5 P.M on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a Treasury receipt deposit of Rupees 1,000 credited to the Government Treasury under 17 (a) Public Works Deposits or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving Dod-Upla Ane near Upla Village, Nagamangala taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 0 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for improving Dod-Upla Ane including lifting dam portion near Upla Village, Nagamangala Taluk.

| No. | Items of work | Per | Quantity | Rate | Cost |
|---|---|---|---|---|---|
| | | | | Rs. a. p. | Rs. a. p. |
| 1 | Benching rock in sheet hard rock by blasting 6" deep average .. .. .. | S.ft. | 1,709 | 0 6 0 | 640 0 0 |
| 2 | Stone jelly concrete in surki mortar with cement .. .. .. .. | C.ft.. | 550 | 0 10 0 | 344 0 0 |
| 3 | Size stone in surky mortar .. .. | „ | 2,397 | 0 5 6 | 824 0 0 |
| 4 | Removing wet sand with 3 : 1 slope in the bed of Ane .. .. .. .. | C.yd. | 100 | 0 2 6 | 16 0 0 |
| 5 | Removing and blasting boulders in line of Ane wherever necessary .. .. .. | L.S. | .. | .. | 100 0 0 |
| 6 | Pointing with surki mortar .. .. | Sqr. | 9·76 | 2 8 0 | 24 0 0 |
| 7 | Constructing scouring sluice 3'×2' with shutter arrangements, etc., complete .. .. | L.S. | .. | .. | 100 0 0 |
| 8 | Baling water including ring bund during execution for lifting dam portion and Ane portion .. .. .. .. | „ | .. | .. | 212 0 0 |
| | *For constructing a head sluice for the Dod-Upla Ane and channel.* | | | | |
| 1 | Earthwork excavating foundations in hard gravelly soil .. .. .. | C.yd. | 67 | 0 4 0 | 17 0 0 |
| 2 | Jelly concrete in surki mortar .. .. | C.ft. | 107 | 0 4 0 | 26 0 0 |
| 3 | Size stone in surki mortar .. .. | „ | 753 | 0 5 6 | 259 0 0 |
| 4 | Burnt stone slabs 6" thick dressed and fixed in surki mortar .. .. .. | S.ft. | 152 | 0 8 0 | 76 0 0 |
| 5 | Pointing with cement mortar .. .. | Sqr. | 6·15 | 4 0 0 | 25 0 0 |
| 6 | Providing and fixing Teakwood shutter with gearing and locking arrangements, etc., complete .. .. .. .. | One set L.S. | .. | .. | 250 0 0 |
| 7 | Cutting grooves for housings shutter 3" deep with masonry and slab .. .. | S.ft. | 5 | 2 0 0 | 10 0 0 |
| 8 | Earthwork to bank on either side with watering and tamping .. .. .. | C.yd. | 178 | 0 5 0 | 56 0 0 |
| 9 | Rough stone work to sides .. .. | „ | 31 | 1 12 0 | 54 0 0 |
| 10 | Unforeseen works like baling water and clearing jungle and rounding .. .. | L.S. | .. | .. | 27 0 0 |
| | *Excavating channel for restoring Dod-Upla Ane channel.* | | | | |
| 1 | Clearing jungle where necessary .. .. | L.S. | .. | .. | 100 0 0 |
| 2 | Earthwork excavating channel in ordinary soil, throwing earth, forming banks and consolidating .. .. .. .. | C.yd. | 4,411 | 0 3 6 | 965 0 0 |
| | Do do .. .. .. | „ | 4,411 | 0 4 0 | 1,103 0 0 |
| 3 | Earthwork embankment excavating in hard gravelly soil, putting banks, forming and consolidation with lead and lift .. .. | „ | 4,918 | 0 5 6 | 1,691 0 0 |

| No. | Items of work | Per | Quantity | Rate | Cost |
|---|---|---|---|---|---|
| | | | | Rs. a. p. | Rs. a. p. |
| 4 | Repairing the existing relieving weir 190 feet long between C.S. 3 and C.S. 4 .. .. | L.S. | .. | .. | 500 0 0 |
| 5 | Providing zero and mile stones including cutting figures, painting and fixing .. .. | No. | 5 | 6 0 0 | 30 0 0 |
| 6 | Do do furlong stones .. | Each | 29 | 1 8 0 | 43 0 0 |
| 7 | Providing bed grade stones including bed slabs and fixing .. .. .. | ,, | 29 | 0 8 0 | 15 0 0 |
| 8 | Sundry charges .. .. .. .. | L.S. | .. | .. | 53 0 0 |
| | *Constructing Pipe sluice or Madaboys.* | | | | |
| 1 | Earthwork .. .. .. .. | C.yd. | 12 | 0 4 0 | 3 0 0 |
| 2 | Stone jelly concrete in surki mortar .. .. | C.ft. | 24 | 0 4 0 | 6 0 0 |
| 3 | Burnt brick in surki mortar .. .. | ,, | 33 | 0 5 6 | 11 0 0 |
| 4 | Plastering with surki mortar .. .. | Sqr. | 0·51 | 4 0 0 | 2 0 0 |
| 5 | Rough stone revetment new .. .. | C.yd. | 3 | 1 12 0 | 5 0 0 |
| 6 | Earthwork refilling with consolidation .. | ,, | 10 | 0 2 0 | 1 0 0 |
| 7 | Providing and fixing cast iron pipe of 12′ long. | L.S. | .. | .. | 36 0 0 |
| 8 | Unforeseen works during execution .. .. | ,, | .. | .. | 20 0 0 |
| 9 | Constructing pipe sluice or madaboys .. | No. | 17 at | 84 0 0 each. | .. |
| | *Constructing an aqueduct on Gowdanakattehalla for restoring Dod-Upla Ane channel.* | | | | |
| 1 | Clearing jungle .. .. .. .. | L.S. | .. | .. | 20 0 0 |
| 2 | Earthwork excavation .. .. .. | C.yd | 393 | 0 4 0 | 98 0 0 |
| 3 | Filling in foundation with burnt stone jelly concrete in surki mortar .. .. | C.ft. | 1,020 | 0 4 0 | 255 0 0 |
| 4 | Size stone in surki mortar .. .. | ,, | 2,564 | 0 5 6 | 881 0 0 |
| 5 | Burnt brick in surki mortar .. .. | ,, | 1,648 | 0 5 6 | 567 0 0 |
| 6 | Pointing with cement mortar .. .. | Sqr. | 21·46 | 4 0 0 | 86 0 0 |
| 7 | Plastering with surki mortar .. .. | ,, | 17·92 | 4 0 0 | 72 0 0 |
| 8 | Plastering with cement mortar, ½″ thick 1 : 2 proportion .. .. .. .. | ,, | 12·78 | 10 0 0 | 128 0 0 |
| 9 | Burnt stone slabs 6″ thick neatly jointed with rough dressing and fixed in surki mortar .. | S.ft. | 856 | 0 8 0 | 428 0 0 |
| 10 | Rough stone work new .. .. .. | C.yd. | 192 | 1 12 0 | 336 0 0 |
| 11 | Earthwork for embankment .. .. | L.S. | .. | .. | 100 0 0 |
| 12 | Unforeseen including baling water, etc., during execution .. .. .. .. | ,, | .. | .. | 79 0 0 |
| | *Aqueduct on Settikattehalla.* | | | | |
| 1 | Clearing jungle .. .. .. .. | L.S. | .. | .. | 25 0 0 |
| 2 | Earthwork excavation .. .. .. | C.yd. | 194 | 0 4 0 | 48 0 0 |
| 3 | Filling in foundation with burnt stone jelly concrete in surki mortar .. .. | C.ft. | 533 | 0 4 0 | 133 0 0 |
| 4 | Size stone in surki mortar .. .. | ,, | 946 | 0 5 6 | 325 0 0 |
| 5 | Burnt brick in surki mortar .. .. | ,, | 767 | 0 5 6 | 264 0 0 |
| 6 | Pointing with cement mortar .. .. | Sqr. | 6·16 | 4 0 0 | 25 0 0 |
| 7 | Plastering with surki mortar .. .. | ,, | 8·81 | 4 0 0 | 35 0 0 |
| 8 | Do do cement mortar | ,, | 5·96 | 10 0 0 | 60 0 0 |
| 9 | Burnt stone slabs 6″ thick neatly jointed with rough dressing fixed surki mortar .. | S.ft. | 419 | 0 8 0 | 210 0 0 |
| 10 | Rough stone work new .. .. .. | C.yd. | 84 | 1 12 0 | 147 0 0 |
| 11 | Earthwork for embankment .. .. | L.S. | .. | .. | 91 0 0 |
| 12 | Baling water, etc., during execution .. | ,, | .. | .. | 97 0 0 |
| | *Constructing an Aqueduct on Ballekerehalla.* | | | | |
| 1 | Clearing jungle .. .. .. .. | ,, | .. | .. | 20 0 0 |
| 2 | Earthwork excavation .. .. .. | C.yd. | 154 | 0 4 0 | 38 0 0 |

| No. | Items of work | Per | Quantity | Rate | Cost |
|---|---|---|---|---|---|
| | | | | Rs. a. p. | Rs. a. p. |
| 3 | Filling in foundation with burnt stone jelly concrete in surki mortar .. .. | C.ft. | 590 | 0 4 0 | 148 0 0 |
| 4 | Size stone in surki mortar .. .. | ,, | 1,671 | 0 5 6 | 574 0 0 |
| 5 | Burnt stone in surki mortar .. .. | ,, | 725 | 0 5 6 | 249 0 0 |
| 6 | Pointing with cement mortar .. .. | Sqr. | 10·43 | 4 0 0 | 42 0 0 |
| 7 | Plastering with surki mortar .. .. | ,, | 9·56 | 4 0 0 | 38 0 0 |
| 8 | Do cement mortar .. .. | ,, | 4·42 | 10 0 0 | 44 0 0 |
| 9 | Burnt stone slabs 6" thick neatly jointed with rough dressing fixed in surki mortar .. | S.ft. | 313 | 0 8 0 | 157 0 0 |
| 10 | Rough stone work new with jelly packing .. | C.yd. | 86 | 1 12 0 | 151 0 0 |
| 11 | Earthwork embankment .. .. .. | L.S. | .. | .. | 59 0 0 |
| 12 | Baling water .. .. .. .. | ,, | .. | .. | 80 0 0 |
| | *Constructing Relieving weir 10' long.* | | | | |
| 1 | Earthwork excavating in hard gravelly soil .. | C.yd. | 15 | 0 4 0 | 4 0 0 |
| 2 | Jelly concrete in surki mortar .. .. | C.ft. | 105 | 0 4 0 | 26 0 0 |
| 3 | Size stone in surki mortar .. .. | ,, | 525 | 0 5 6 | 181 0 0 |
| 4 | Cement pointing masonry .. .. | Sqr. | 4·22 | 4 0 0 | 17 0 0 |
| 5 | Pitched apron down stream side .. .. | C.yd. | 29 | 1 8 0 | 44 0 0 |
| 6 | Jelly filling below pitched apron .. .. | ,, | 7 | 1 0 0 | 7 0 0 |
| 7 | New stone work with jelly backing .. | ,, | 87 | 1 12 0 | 152 0 0 |
| 8 | Earthwork to bank with watering and tamping. | ,, | 237 | 0 5 0 | 74 0 0 |
| 9 | Unforeseen items .. .. .. .. | L.S. | .. | .. | 25 0 0 |
| | *Constructing three Relieving Weirs* (530×3= Rs. 1,590.) | | | | |
| | *Constructing a Road Bridge.* | | | | |
| 1 | Earthwork excavation in mixed soil .. | C.yd. | 126 | 0 4 6 | 35 0 0 |
| 2 | Gravel filling in cushion on covering slab and consolidating .. .. .. .. | ,, | 22 | 0 6 0 | 8 0 0 |
| 3 | Jelly concrete in surki mortar .. .. | C.ft. | 132 | 0 4 0 | 33 0 0 |
| 4 | Burnt size stone in surki mortar .. .. | ,, | 452 | 0 5 6 | 156 0 0 |
| 5 | Burnt or raw stone covering slabs 9" thick for the tunnel portion .. .. .. | S.ft. | 126 | 0 13 0 | 102 0 0 |
| 6 | Burnt brick in surki mortar for parapet .. | C.ft. | 54 | 0 5 6 | 19 0 0 |
| 7 | Rough stone work for flooring .. .. | C.yd. | 19 | 1 12 0 | 33 0 0 |
| 8 | Blocking course plain .. .. .. | R.ft. | 16 | 0 3 0 | 3 0 0 |
| 9 | Plastering with surki mortar sides of parapet walls alround .. .. .. | Sqr. | 1·09 | 4 0 0 | 4 0 0 |
| 10 | Pointing with surki mortar .. .. | ,, | 3·21 | 2 8 0 | 8 0 0 |
| 11 | Miscellaneous and unforeseen work charges such as blasting rock, etc. .. .. | L.S. | .. | .. | 31 0 0 |
| 12 | Guard stones .. .. .. .. | Each | 4 | 2 0 0 | 8 0 0 |

R. TIPPAIYA,
*Executive Engineer.*

## HASSAN DIVISION.

*Notification dated 17th July 1937.*

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 9th August 1937, up to 3 P.M., for restoring Marve Doddakere, Reg. No. 954 of Alur Sub-Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 520 (five hundred and twenty) in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for restoring Marve Doddakere, Reg. No. 954 of Alur Sub-Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Shimoga Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned. The accepted tenderer should furnish a cash security of 5 per cent of the estimate for due fulfilment of the contract.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for restoring Marve Doddakere Register No. 954 of Alur Sub-Taluk.

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | *I. Bund at R. L. 58·00; Top width 9'* | | Rs. a. p. | | |
| 1 | Jungle clearing and cutting grips, etc. .. | Grade | 5 0 0 | 22 | |
| 2 | Removing slush, etc., and diversion of water during extension including excavation for foundation of new bund at weir halla sites .. | L. S. | .. | .. | Rs. 100 |
| 3 | Excavation for puddle wall foundation .. | C.yd. | 0 3 0 | 51 | |
| 4 | Earthwork to bund including watering and consolidation, etc., complete .. .. | ,, | 0 5 0 | 12,012 | |
| 5 | Consolidation charges for the earth available from excavation of weir, etc. .. .. | ,, | 0 2 0 | 1,094 | |
| 6 | Constructing puddle core wall complete .. | ,, | 0 13 0 | 163 | |
| 7 | Constructing new rough stones revetment to the new bund with jelly packing and wedging, etc., complete .. .. .. | ,, | 1 12 0 | 761·30 | |
| 8 | Turfing the slopes .. .. .. | S.yd. | 0 0 10 | 7,132 | |
| 9 | Removing and refixing old grade stones with bed slabs after cutting figures, and painting | Each | 0 8 0 | 22 | |
| 10 | Providing and fixing new index stones .. | ,, | 0 12 0 | 22 | |
| 11 | Removing and refixing old B. M. stones after cutting figures and painting .. .. | ,, | 1 0 0 | 2 | |
| 12 | Providing and fixing Date and Register stones | ,, | 4 4 0 | 1 | |
| | *II. Weir at 51·00.* | | | | |
| 1 | Earthwork excavation of bund up to 51·00 and excavation for foundation .. .. | C.yd. | 0 3 0 | 1,043 | |
| 2 | Stone jelly concrete in surki mortar .. .. | C.ft. | 0 4 6 | 1,410 | |
| 3 | Size stone in surki mortar .. .. .. | C.ft. | 0 5 6 | 3,907 | |

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | |
| 4 | Providing and fixing burnt stone slabs 6" thick dressed with joggle joints .. .. | S.ft. | 0 10 0 | 516 | |
| 5 | New rough stone work with jelly packing and wedging, etc., complete .. .. | C.yd. | 1 12 0 | 485 | |
| 6 | Resetting old stones available with jelly packing and wedging complete .. .. .. | C.yd. | 1 0 0 | 50 | |
| 7 | Providing and fixing 9" diam. cast iron pipe with necessary gibbet wall, etc., and regulating arrangement complete .. .. | L. S. | .. | .. | Rs. 300 |
| 8 | Pointing with cement mortar .. .. | Sqr. | 4 0 0 | 13·2 | |
| | *III. Reconstructing the culvert.* | | | | |
| 1 | Dismantling the existing rough stone wall, clearing sites and excavation for foundation, etc. .. .. .. .. | L. S. | .. | | Rs. 20 |
| 2 | Filling foundation with surki mortar concrete .. | C.ft. | 0 4 6 | 692 | |
| 3 | Size stone in surki mortar .. .. .. | C.ft. | 0 5 6 | 720 | |
| 4 | Pointing with cement mortar .. .. | Sqr. | 4 0 0 | 4 | |
| 5 | Burnt stone slabs 6" thick dressed and fixed .. | S.ft. | 0 8 0 | 72 | |
| 6 | Rough stone apron for the vent and unforeseen works, etc., complete .. .. .. | L. S. | .. | .. | Rs. 16 |
| | *IV. Repairing the anes across the weir halla.* | | | | |
| | Repairing the anes two in number across the weir halla providing and fixing crest slabs, plastering, etc., complete .. .. | Each | 200 0 0 | 2 | |

M. LAKSHMINARASIMHAIYA,
*Executive Engineer.*

## OFFICE OF THE EXECUTIVE ENGINEER, ANJANAPUR DIVISION, ANJANAPUR.

*Abstract Notification.*

Attention of the public is drawn to the Notification published in pages 1135-1136 Part VI, of the *Mysore Gazette*, dated the 15th July 1937, inviting tenders for carting and unloading materials.

Tenders will be received up to 2 P.M. on the 20th August 1937 and earnest money required is Rs. 25.

K. V. KARVE,
*Executive Engineer.*

## BANGALORE BUILDINGS DIVISION.

*Notification dated 17th July 1937.*

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Buildings Division, up to 31st July 1937, up to 2-30 P.M., for constructing Quarters for the Superintendent, Serum Institute, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of January 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 400 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing Quarters for the Superintendent, Serum Institute, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing Quarters for the Superintendent, Serum Institute, Bangalore.

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | Rs. |
| 1 | Earthwork excavation for foundation and refilling basement including watering and tamping and consolidating .. .. | C.yd. | 0 3 6 | 136 | 30 |
| 2 | Concrete granite stone jelly in lime mortar 1 : 2 : 4 including watering and tamping .. | C.ft. | 0 3 9 | 1,233 | 289 |
| 3 | Size stone in lime mortar for foundation and basement (1 : 2) with bond stones 6′ apart including 1″ quoin dressing in exposed corners of basement .. .. .. | ,, | 0 4 0 | 2,248 | 562 |
| 4 | B. S. slab 6″ thick 2 line dressed in exposed faces and 1 line dressed in other portions and laid in lime mortar .. .. .. | S.ft. | 0 6 0 | 1,062 | 398 |
| 5 | Burnt brick in clay superstructure .. .. | C.ft. | 0 3 6 | 3,367 | 780 |
| 6 | Burnt brick in lime mortar 1 : 2 .. .. | ,, | 0 4 6 | 542 | 152 |
| 7 | R.C.C. lintels 6″ thick over corner windows .. | ,, | 1 8 0 | 8 | 12 |
| 8 | Wire cut brick circular pillars in lime mortar 1 : 2, 9½′ high including base and cap as per design and lime mortar plastering and colorwashing, etc., complete .. .. .. | No. | 15 0 0 | 6 | 90 |
| (a) | Wire cut brick square pillars in lime mortar 1 : 2, 6½′ high including base and cap as per design and lime mortar plastering and colorwashing, etc., complete .. .. | ,, | 12 0 0 | 4 | 48 |
| 9 | Teakwood doors 3″×4½″ frame 1¼″ thick shutters fully panelled in 2 leaves including iron hinges, bolts, hooks, and 2 coats of approved paint, etc., complete .. .. .. | S.ft. | 1 8 0 | 214 | 321 |
| 9(a) | Do but with battened shutters .. | ,, | 1 4 0 | 117 | 146 |
| 10 | Teakwood windows 3″×4½″ frame 1¼″ thick shutters fully glazed in 4 leaves with iron hinges, bolts, hooks and 2 coats of approved paint and ¾″ iron bars at 3″ centres .. | ,, | 1 8 0 | 140 | 210 |
| 11 | Teakwood ventilators 3″×4″ frame 1¼″ thick shutters fully glazed as per design including ¾″ iron bars, iron hinges, bolts, hooks and 2 coats of approved paint .. .. | ,, | 1 4 0 | 121 | 151 |
| 12 | Teakwood shelves 3″×4″ frame 1¼″ thick shutters fully panelled with horizontal planks including iron hinges, bolts, hooks and 2 coats of approved paint .. .. | ,, | 1 6 0 | 45 | 79 |

| No. | Items of work | Unit | Rate | Quantity | Cost |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | Rs. |
| 13 | Teakwood wrought and put up including 2 coats of wood oiling | C.ft. | 4 8 0 | 35·79 | 161 |
| 14 | Burnt brick in lime mortar entablature wall 1′ high, 1½′ thick as per design including lime mortar, plastering and colour-washing | R.ft. | 0 10 0 | 49 | 31 |
| 15 | Tata's tested R. S. beams including hoisting and fixing and 2 coats of anticorrosive paint .. | Cwt. | 9 8 0 | 15 | 143 |
| 16 | Roofing with R.C.C. (1 : 2 : 4) designed to carry a total load of 1½ cwts. per sqr., for a clear span of 7 to 9′ including smooth lime mortar plastering for ceiling with coving and 3″ of surki concrete 2 courses of flat tiles laid in lime mortar on top and lime plastered over | Sqr. | 60 0 0 | 16·60 | 996 |
| 17 | Roofing with 1st class Mangalore tiles on teak reepers including tying the end tiles to double reepers with G.I. wire | ,, | 18 0 0 | 6·03 | 108 |
| 18 | Providing and fixing 1st class Mangalore ridge tiles set in lime mortar and cement pointed | R.ft. | 0 7 0 | 68 | 30 |
| 19 | Flooring with 1½″ thick cement concrete on 3″ lime concrete and 9″ sand filled boulders the top finished with ¼″ thick coloured cement mortar with neat cut lines as per design .. | Sqr. | 23 0 0 | 14·93 | 343 |
| 20 | Flooring with 1½″ thick Cuddapa slabs on 3″ lime concrete and cement pointed including cutting lines | ,, | 18 0 0 | 1·53 | 28 |
| 21 | Burnt brick in lime mortar parapet wall of modern type 1½′ height 9″ thick with blocking course and coping as per design including lime mortar plastering and color washing .. | R.ft. | 0 12 0 | 281 | 211 |
| 22 | Lime mortar plastering 2 coats over brick wall.. | Sqr. | 3 0 0 | 78·47 | 235 |
| 23 | Colour washing 2 coats outside and white-washing 2 coats inside | ,, | 0 4 0 | 78·47 | 20 |
| 24 | Cement pointing basement as per raking joints.. | Sqr. | 3 0 0 | 3·58 | F. |
| 25 | Levelling and forming ground | L. S. | .. | .. | 50 |
| 26 | Electric fittings | ,, | .. | .. | 200 |
| 27 | Water-supply connections | ,, | .. | .. | 100 |
| 28 | Sanitary fittings | ,, | .. | .. | 200 |
| 29 | Constructing Brindavan pestle and mortar .. | ,, | .. | .. | 30 |
| 30 | Providing sink and oven with chimney in kitchen and bath | ,, | .. | .. | 30 |
| 31 | Providing zinc rain water spouts | ,, | .. | .. | 14 |
| 32 | Do valley sheets | ,, | .. | .. | 15 |
| 33 | Constructing W.C. and wall enclosing quadrangle | ,, | .. | .. | 150 |
| 34 | Providing planks and stone benches in store and kitchen | ,, | .. | .. | 25 |
| 35 | Constructing a garage and additional bath | ,, | .. | .. | 1,031 |
| 36 | Constructing a well | ,, | .. | .. | 1,000 |
| 37 | Unforeseen charges | ,, | .. | .. | 50 |
| 38 | Petty supervision | ,, | .. | .. | 140 |

B. R. GARUDACHAR,
*Sanitary Engineer.*

## MISCELLANEOUS DEPARTMENTS

### OFFICE OF THE COMPILER, *MYSORE GAZETTE.*

ERRATUM.

*For* the existing para 6 of tender Notification of the Executive Engineer, Mysore Division, published on page 1038 of Part VI of the *Mysore Gazette*, dated 1st July 1937, *substitute* the following :

"6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited."

B. SREENIVASA IYENGAR,
*Compiler.*